



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3320023
SITENAME Magredi di Campoformido

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code IT3320023 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Magredi di Campoformido

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-06 | 1.5 Update date 2019-12 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche - Servizio biodiversità
Address: Via Sabbadini, 31 – 33100 Udine
Email: biodiversita@regione.fvg.it

1.7 Site indication and designation / classification dates

| | |
|---|--|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-09 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2013-10 |
| National legal reference of SAC designation: | DM 21/10/2013 - G.U. 262 del 8-11-2013 |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 13.1869 **Latitude** 46.0267

2.2 Area [ha]: 242.0 **2.3 Marine area [%]:** 0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

| | |
|--------------------------|--------------------|
| NUTS level 2 code | Region Name |
|--------------------------|--------------------|

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | | A B C | |
| | | | | | | Representativity | Relative Surface | Conservation | Global |
| 62A0F | | | 189.84 | | G | B | C | B | B |
| 6510F | | | 6.76 | | G | B | C | B | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|-------------------------------------|---|----|------------------------|------|-----|------|------|----------|-----------------|------|-------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A222 | Asio flammeus | | | c | | | | V | DD | D | | | |
| A | 1193 | Bombina variegata | | | p | | | | R | DD | C | C | C | C |
| B | A082 | Circus cyaneus | | | w | | | | R | DD | D | | | |
| B | A084 | Circus pygargus | | | r | | | | R | DD | D | | | |
| B | A113 | Coturnix coturnix | | | r | | | | C | DD | C | B | C | C |
| B | A103 | Falco peregrinus | | | w | | | | R | DD | D | | | |
| B | A097 | Falco vespertinus | | | c | 100 | 100 | i | | G | C | C | C | C |
| P | 4096 | Gladiolus palustris | | | p | | | | R | DD | C | B | C | B |
| B | A338 | Lanius collurio | | | r | 3 | 3 | p | | G | D | | | |
| B | A339 | Lanius minor | | | r | 2 | 2 | p | | G | C | C | C | C |
| B | A383 | Miliaria calandra | | | p | | | | C | DD | C | A | C | B |
| A | 1215 | Rana latastei | | | p | | | | V | DD | C | C | C | C |
| A | 1167 | Triturus carnifex | | | p | | | | R | DD | C | B | C | B |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---|---|----|------------------------|-----|------|------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | | IV | V | A | B | C | D |
| P | | Anacamptis pyramidalis | | | | | | C | | | | | X | X |
| R | 1281 | Elaphe longissima | | | | | | P | X | | | | X | X |
| P | | Gymnadenia conopsea | | | | | | C | | | | | X | X |
| P | | Gymnadenia odoratissima | | | | | | C | | | | | X | X |
| R | 5670 | Hierophis viridiflavus | | | | | | C | X | | | | X | X |
| A | 5358 | Hyla intermedia | | | | | | C | | | | | X | X |

| | | | | | | | | | | | | | | |
|---|------|----------------------------------|--|--|--|--|--|---|---|---|---|--|---|---|
| R | 1263 | Lacerta viridis | | | | | | C | X | | | | X | X |
| P | | Listera ovata | | | | | | C | | | | | X | X |
| M | 2631 | Meles meles | | | | | | R | | | | | X | X |
| M | 1358 | Mustela putorius | | | | | | R | | X | X | | X | X |
| P | | Ophrys apifera | | | | | | R | | | | | X | X |
| P | | Orchis militaris | | | | | | R | | | | | X | X |
| P | | Orchis morio | | | | | | C | | | | | X | X |
| P | | Orchis purpurea | | | | | | R | | | | | X | X |
| P | | Orchis ustulata | | | | | | R | | | | | X | X |
| R | 1256 | Podarcis muralis | | | | | | C | X | | | | X | X |
| A | 1209 | Rana dalmatina | | | | | | R | X | | | | X | X |
| A | 1210 | Rana esculenta | | | | | | R | | X | | | X | X |
| A | 1207 | Rana lessonae | | | | | | R | X | | | | X | X |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N09 | 100.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Il sito include un'area dell'alta pianura friulana costituita da sedimenti grossolani carbonatici. Il paesaggio vegetale è omogeneo ed è dominato da formazioni erbacee xeriche di tipo substeppico, a diverso grado di evoluzione. Sito di rilevanza ornitologica per la presenza consistente di specie legate ad ambienti steppici come Coturnix coturnix e Miliaria calandra.

4.2 Quality and importance

Il sito comprende una delle poche superfici rimaste occupate da xerogramineti di tipo substeppico, molto importanti da un punto di vista floristico e fitogeografico. Presenti, ma molto rarefatte, varie specie di anfibii di importanza comunitaria (Rana latastei, Triturus carnifex e Bombina variegata).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | D04 | | b |
| M | G05.11 | | b |
| M | I01 | | b |
| M | B02 | | b |
| H | A07 | | o |
| H | D01.02 | | o |
| M | G04.01 | | b |
| L | F03.01 | | b |
| H | E01 | | o |
| H | A01 | | o |

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210.
 FEOLI CHIAPELLA L. & POLDINI L., 1993. Prati e pascoli del Friuli (NE Italia) su substrati basici. Studia Geobotanica, 13:3-140, Trieste.
 PARODI R., 1987. Catalogo della collezione ornitologica del Museo Friulano di Storia Naturale. 1 Pubbl. Museo Fr. Stor. Nat., 31, Udine.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
|------|-----------|------|-----------|------|-----------|

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|---|
| Organisation: | Regione Autonoma Friuli Venezia Giulia – Direzione centrale risorse agroalimentari, forestali e ittiche – Servizio biodiversità |
| Address: | Via Sabbadini, 31 – 33100 Udine |
| Email: | biodiversita@regione.fvg.it |

6.2 Management Plan(s):

An actual management plan does exist:

| |
|---|
| <input type="checkbox"/> Yes |
| <input type="checkbox"/> No, but in preparation |
| <input checked="" type="checkbox"/> No |

6.3 Conservation measures (optional)

DGR 546 del 28.03.2013 "Misure di conservazione di 28 SIC della regione biogeografica continentale del Friuli Venezia Giulia" pubblicata sul I SUPPLEMENTO ORDINARIO N. 15 DEL 10 APRILE 2013 AL BUR N. 15 DEL 10 APRILE 2013 http://bur.regione.fvg.it/newbur/visionaBUR?bnum=2013/04/10/15_1

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).