



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT3320002
SITENAME Monti Dimon e Paularo

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------------------|-----------------------------------|-----------------------------|
| 1.1 Type B | 1.2 Site code IT3320002 | Back to top |
|----------------------|-----------------------------------|-----------------------------|

1.3 Site name

Monti Dimon e Paularo

| | |
|--|-----------------------------------|
| 1.4 First Compilation date 1995-06 | 1.5 Update date 2012-10 |
|--|-----------------------------------|

1.6 Respondent:

Name/Organisation: Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità
Address: Via Sabbadini, 31 – 33100 Udine
Email: s.caccia.pesca.amb.naturali@regione.fvg.it

| | |
|---|--|
| Date site proposed as SCI: | 1995-09 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2013-10 |
| National legal reference of SAC designation: | DM 21/10/2013 - G.U. 262 del 8-11-2013 |

2. SITE LOCATION

[Back to top](#)

| | | | | | | | | | |
|------|--|-------|--|---|---|--|---|---|---|
| | | 0.66 | | G | C | | C | A | C |
| 9110 | | 13.71 | | G | C | | C | B | B |
| 9410 | | 29.04 | | G | B | | C | B | B |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | Population in the site | | | | | | | | Site assessment | | | |
|---------|------|--|------------------------|----|---|------|-----|------|------|---------|-----------------|------|-------|----|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | | A B C | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Gl |
| B | A223 | Aegolius funereus | | | p | 2 | 2 | p | | G | D | | | |
| B | A412 | Alectoris graeca saxatilis | | | p | 1 | 1 | p | | G | D | | | |
| B | A091 | Aquila chrysaetos | | | p | 3 | 3 | i | | G | C | A | C | A |
| I | 1092 | Austropotamobius pallipes | | | p | | | | R | P | D | | | |
| A | 1193 | Bombina variegata | | | p | | | | R | M | C | B | C | C |
| B | A104 | Bonasa bonasia | | | p | 4 | 5 | p | | G | C | B | C | B |
| B | A215 | Bubo bubo | | | p | 2 | 2 | i | | G | D | | | |
| B | A080 | Circaetus gallicus | | | c | | | | V | | D | | | |
| B | A236 | Dryocopus martius | | | p | 8 | 8 | i | | G | C | B | C | B |
| I | 1065 | Euphydryas aurinia | | | p | | | | C | M | B | B | B | B |
| B | A103 | Falco peregrinus | | | p | 2 | 2 | i | | G | D | | | |
| B | A217 | Glaucidium passerinum | | | p | 1 | 1 | p | | G | D | | | |
| B | A078 | Gyps fulvus | | | c | | | | R | | D | | | |
| B | A408 | Lagopus mutus helveticus | | | p | 1 | 1 | p | | G | D | | | |
| B | A338 | Lanius collurio | | | r | 1 | 1 | p | | | D | | | |
| M | 1361 | Lynx lynx | | | c | | | | P | M | C | B | C | C |
| B | A072 | Pernis apivorus | | | r | 1 | 1 | p | | G | D | | | |
| B | A234 | Picus canus | | | p | 2 | 2 | p | | G | D | | | |
| B | A409 | Tetrao tetrix tetrix | | | p | 8 | 10 | p | | G | C | B | C | B |
| B | A108 | Tetrao urogallus | | | p | 7 | 7 | i | | G | C | B | C | B |

| | | | | | | | | | | | | | | |
|---|------|------------------------------|--|--|---|--|--|--|---|---|---|---|---|---|
| M | 1354 | Ursus arctos | | | c | | | | V | M | C | A | C | C |
|---|------|------------------------------|--|--|---|--|--|--|---|---|---|---|---|---|

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|---------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| P | 1762 | Arnica montana | | | | | | C | | X | | | X | |
| P | | Carex pauciflora | | | | | | V | | | X | | | |
| M | 5603 | Chionomys nivalis | | | | | | C | | | | | X | X |
| R | 1283 | Coronella austriaca | | | | | | C | X | | | | X | X |
| R | 1281 | Elaphe longissima | | | | | | R | X | | | | X | X |
| I | 1026 | Helix pomatia | | | | | | P | | X | | | X | X |
| R | 5676 | Iberolacerta horvathi | | | | | | C | X | | X | | X | X |
| P | | Leontopodium alpinum | | | | | | V | | | X | | | X |
| P | | Lilium carnolicum | | | | | | R | | | X | | | X |
| M | 2606 | Marmota marmota | | | | | | C | | | | | X | X |
| M | 1357 | Martes martes | | | | | | C | | X | X | | X | X |
| M | 2631 | Meles meles | | | | | | C | | | | | X | X |
| I | 1057 | Parnassius apollo | | | | | | P | X | | | | X | X |
| I | 1056 | Parnassius mnemosyne | | | | | | P | X | | | | X | X |
| F | | Phoxinus phoxinus | | | | | | | | | X | | | |
| R | 1256 | Podarcis muralis | | | | | | R | X | | | | X | X |

| | | | | | | | | | | | | | | |
|---|------|---|--|--|--|--|--|---|---|---|---|--|---|---|
| A | 1213 | Rana temporaria | | | | | | C | | X | | | X | X |
| M | 1369 | Rupicapra rupicapra | | | | | | C | | X | | | X | X |
| A | 1177 | Salamandra atra | | | | | | C | X | | X | | X | X |
| A | 2351 | Salamandra salamandra | | | | | | R | | | | | X | X |
| F | | Salmo [trutta] trutta | | | | | | | | | X | | | |
| F | | Salvelinus alpinus | | | | | | | | | | | X | |
| A | 2353 | Triturus alpestris | | | | | | C | | | | | X | X |
| R | 5995 | Zootoca vivipara carniolica | | | | | | C | | | X | | X | X |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

| Habitat class | % Cover |
|----------------------------|------------|
| N22 | 0.94 |
| N14 | 0.72 |
| N11 | 19.84 |
| N07 | 0.02 |
| N17 | 16.43 |
| N06 | 0.14 |
| N08 | 56.84 |
| N16 | 3.95 |
| N23 | 1.12 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Il sito include un sistema montuoso con substrato siliceo le cui due cime principali (Monte Dimon e Monte Paularo) superano di poco i 2000 metri s.l.m., e due piccoli laghetti. Vaste superfici sono occupate da nardeti ipsofili con *Primula minima*, *Phyteuma hemisphaericum* e *Senecio incanus* ssp. *carniolicus*, da brughiere

subalpine a *Rhododendron ferrugineum* e da boscaglie ad ontano verde. Sono inclusi anche alcuni lembi di bosco di faggio e abete rosso. Molte aree di pascolo sono abbandonate o in via di abbandono e quindi soggette a fenomeni di incespugliamento. Nel sito è inclusa una piccola area sciistica oggi dismessa.

4.2 Quality and importance

Si tratta di un tipico rilievo su substrato siliceo a quote non elevate, che include importanti habitat caratteristici dei rilievi silicei. Dal punto di vista faunistico è una zona alpina con buona presenza delle principali specie avifaunistiche caratteristiche: tetraonidi, *Aquila chrysaetos*, *Aegolius funereus*, ecc. Nell'area sono segnalati *Bombina variegata*, *Ursus arctos*, *Lynx lynx*, *Cottus gobio* e *Euphydryas aurinia*. Nei dintorni è relativamente frequente *Iberolacerta horvathi*.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| H | F03.01 | | i |
| L | G01.06 | | i |
| M | F03.01 | | o |
| M | G01.02 | | i |
| M | D01.01 | | i |
| H | K02.01 | | i |
| M | K03.05 | | b |
| H | A04.03 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside/outside [i o b] |

4.5 Documentation

BULGARINI F., CALVARIO E., FRATICELLI F., PETRETTI F. & SARROCCO S., 1999. Libro Rosso degli animali d'Italia. Vertebrati. WWf Italia ed., Roma: 1-210. DE LUISE G., 2006. I Crostacei decapodi di acqua dolce in Friuli Venezia Giulia. Recenti acquisizioni sul comportamento e sulla distribuzione nelle acque dolci della Regione. Venti anni di studi e ricerche. Ente Tutela Pesca del Friuli Venezia Giulia, Udine. DEL FAVERO R., POLDINI L., BORTOLI P.L., DROSSI G., LASEN C., VANONE G., 1998. La vegetazione forestale e la selvicoltura nella regione Friuli-Venezia Giulia. Reg. Auton. Friuli-Venezia Giulia, Direz. Reg. delle Foreste, Servizio Selvicoltura 1 pp. 440, 2: 1- 303, I-LIII, 61 grafici, Udine. FEOLI CHIAPELLA L., 1975-76. Florula del Massiccio Paularo - Dimon. Boll. Soc. Adriat. Sci. Trieste, 60:5-48. FORNACIARI G. & CECCONELLI F., 1971. Una nuova stazione di *Lomatogonium carinthiacum* R. Br. sulle Alpi Carniche. Inf. Bot. Ital., 3:118-119. LAPINI L., 1989. Primi dati sulla distribuzione della marmotta alpina (*Marmota m. marmota* Linne', 1758) nella regione Friuli-Venezia Giulia. Rapporto inedito all'Osservatorio Faunistico, sezione di Udine. PITT F. & CODOGNO M., 1999 (1997). Fitosociologia ed ecologia delle ontanete subalpine. Rev. Valdôtaine Hist. Nat. 51(suppl.): 239-249. POLDINI L. & NARDINI S., 1993. Boschi di forra, faggete e abieteti in Friuli (NE Italia). Studia Geobot., 13:215-298. POLDINI L. & ORIOLO G., 1997. La vegetazione dei pascoli a *Nardus stricta* e delle praterie subalpine acidofile in Friuli (NE-Italia). Fitosociologia, 34: 127-158. POLDINI L., 1975. Contributi critici alla conoscenza della flora delle Alpi Friulane e del loro avanterra. Note miscellanee. Webbia, 29(2):437-538. POLDINI L., 2002. Nuovo Atlante corologico delle piante vascolari nel Friuli Venezia Giulia. Reg. Auton. Friuli-Venezia Giulia, Direz. Reg. delle Foreste, Dipartimento di Biologia, Università di Trieste, pp. 529, Udine. POLDINI L., BRESSAN E., 2007. I boschi di abete rosso ed abete bianco in Friuli (Italia nord-orientale). Fitosociologia 44(2): 15-54. POLDINI L., ORIOLO G., FRANCESCATO C., 2004. Mountain pine scrubs and heaths with Ericaceae in the south-eastern Alps. Plant Biosystems 138(1): 53-85. POLDINI L., ORIOLO G., VIDALI M., TOMASELLA M., STOCH F., OREL G. (2006) Manuale degli habitat del Friuli Venezia Giulia. Strumento a supporto della valutazione d'impatto ambientale (VIA), ambientale strategica (VAS) e d'incidenza ecologica (VIEc) (Corredato dalla cartografia

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| IT14 | 6.0 | IT42 | 100.0 | IT13 | 100.0 |

5.2 Relation of the described site with other sites:

designated at national or regional level:

| Type code | Site name | Type | Cover [%] |
|-----------|-----------------------------|------|-----------|
| IT42 | ZPS IT3321001 Alpi Carniche | - | 100.0 |

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

| | |
|---------------|--|
| Organisation: | Regione Autonoma Friuli Venezia Giulia – Direzione Centrale risorse rurali, agroalimentari e forestali – Servizio caccia, risorse ittiche e biodiversità |
| Address: | Via Sabbadini, 31 – 33100 Udine |
| Email: | s.caccia.pesca.amb.naturali@regione.fvg.it |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|-------------------------------------|------------------------|
| <input type="checkbox"/> | Yes |
| <input checked="" type="checkbox"/> | No, but in preparation |
| <input type="checkbox"/> | No |

6.3 Conservation measures (optional)

DGR 726 dell'11.04.2013 "Misure di conservazione dei 24 SIC della regione biogeografica alpina del Friuli Venezia Giulia" pubblicata sul III SUPPLEMENTO ORDINARIO N. 19 DEL 24 APRILE 2013 AL BUR N. 17 DEL 24 APRILE 2013 <http://bur.regione.fvg.it/newbur/visionaBUR?bnum=2013/04/24/19>

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|